

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 07/28/2005

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/674,284	09/29/2003	Joshua S. Lieberman	460.1882USQ3	3114	
7.	590 07/28/2005	EXAMINER			
	.J. RUGGIERO, ESQ.	SMALLEY, JAMES N			
OHLANDT, G	REELEY, RUGGIERO &	PERLE, L.L.P.			
10th FLOOR			ART UNIT	PAPER NUMBER	
ONE LANDMARK SQUARE			3727		
STAMFORD,	CT 06901-2682	DATE MAN ED 07/20/2005			

Please find below and/or attached an Office communication concerning this application or proceeding.

					TWW		
Office Action Summary		Application	n No.	Applicant(s)			
		10/674,28	4	LIEBERMAN ET AL.			
		Examiner		Art Unit			
		James N.	Smalley	3727			
 Period for	The MAILING DATE of this commun Reply	nication appears on the	cover sheet with the c	orrespondence ad	dress		
THE M - Extens after St - If the p - If NO p - Failure Any re	RTENED STATUTORY PERIOD F AILING DATE OF THIS COMMUN ions of time may be available under the provisions X (6) MONTHS from the mailing date of this come eriod for reply specified above, the maximum s to reply within the set or extended period for reply ply received by the Office later than three months patent term adjustment. See 37 CFR 1.704(b).	IICATION. s of 37 CFR 1.136(a). In no ever munication. 30) days, a reply within the statu tatutory period will apply and wi y will, by statute, cause the appl	nt, however, may a reply be tim story minimum of thirty (30) day: Il expire SIX (6) MONTHS from ication to become ABANDONE	nely filed s will be considered timely the mailing date of this co D (35 U.S.C. § 133).	y. ommunication.		
Status							
1)□ F	Responsive to communication(s) file	ed on					
•	•	2b)⊠ This action is n	on-final.				
<i>,</i> —							
•	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositio	n of Claims						
4 5)□ ( 6)⊠ ( 7)□ (	Claim(s) 1-79 is/are pending in the application.  4a) Of the above claim(s) 9-12,33-36,58,59 and 69 is/are withdrawn from consideration.  Claim(s) is/are allowed.  Claim(s) 1-8,13-32,37-57,60-68 and 70-79 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/or election requirement.						
Applicatio	n Papers		•				
9)∐ T	he specification is objected to by the	ne Examiner.					
10)∐ T	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
A	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) includin he oath or declaration is objected t						
Priority ur	nder 35 U.S.C. § 119						
a) [	cknowledgment is made of a claim All b) Some * c) None of: Certified copies of the priority Copies of the certified copies application from the Internative the attached detailed Office action	y documents have bee y documents have bee s of the priority docume onal Bureau (PCT Rul	n received. n received in Applicati ents have been receive e 17.2(a)).	ion No ed in this National	Stage		
2) Notice	of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (		4) Interview Summary Paper No(s)/Mail D	ate			
3) 🔯 Inform	ation Disclosure Statement(s) (PTO-1449 o No(s)/Mail Date <u>5/24/04</u> .		5) Notice of Informal F 6) Other:	Patent Application (PTC	<b>D-152)</b>		

Application/Control Number: 10/674,284 Page 2

Art Unit: 3727

### **DETAILED ACTION**

#### Election/Restrictions

1. In a telephone call with Andrew Gust, Reg. 47,620, on 21 July 2005, Applicant clarifies the Response to Restriction Requirement/Election improperly states the election of Group (I). Applicant's response clearly states the intent to elect the embodiment of figures 4-9, Group (II). Examiner notes all claims drawn to the embodiments of groups (I), and (III), are withdrawn.

2. Applicant's election with traverse of Group (II) in the reply filed on 17 June 2005 is acknowledged. The traversal is on the ground(s) that a) the claims are generic to all three embodiments; and b) it would be more economical and expedient to search and examine all three embodiments. This is not found persuasive because withdrawn claims 9-12 and 33-36 are not generic to the elected embodiment, as they require multiple first valve faces. To the best degree the Examiner understands the claimed invention, the claims are unique to the embodiment of figures 10-13. Applicant's own Specification, in the Brief Description of the Drawings, declares this an alternative embodiment to the elected embodiment. Withdrawn claims 58-59 and 69 are furthermore not generic to the elected embodiment because they require a concave and downwardly and inwardly curved valve face, which appears to be unique to the embodiment of figure 3.

Regarding the Applicant's second grounds for traversal, Examiner notes the economy and expediency of examining an invention are not a legal basis for traversal. Examiner again notes Applicant's Brief Description of the Drawings, which clearly acknowledges multiple inventions.

The requirement is still deemed proper and is therefore made FINAL. Applicant's own Specification, in the Brief Description of the Drawings, declares this an alternative embodiment to that of the elected invention.

## Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 3727

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. Claims 1-5, 8, 13-29, 32, 37-41, 44-55, 57, 60-68 and 70-79 are rejected under 35 U.S.C. 103(a) as being unpatentable over Robbins US 5,706,973 in view of Boucher US 2004/0195253.

Robbins '973, in the embodiment of figure 9, teaches a drinking cup and lid, comprising a onepiece elastomeric valve.

Robbins '973 does not teach the valve face disposed on a sidewall portion of the valve stack.

Boucher '253 teaches a one-piece elastomeric valve element for use in a beverage cup lid, comprising a valve (60) on a sloped sidewall (46). The reference teaches in paragraphs [0034] and [0035] the sloped face allows for a longer slit, which in turn reduces "surge" and allows the valve to open more gently, and, reduces leakage when inverted to do reduced head pressure above the valve.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the valve stack of Robbins '973, providing the valve stack of Boucher '253, motivated by the benefit reducing surge and leakage through the valve.

Regarding claims 5 and 29, Examiner notes the valve face of Boucher '253 is ovular and thus held to be "arcuate," about its periphery.

5. Claims 6-7 and 30-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Robbins US 5,706,973 in view of Boucher US 2004/0195253, and further in view of Larson et al. US 5,474,028.

Robbins '973, as modified above, does not teach the valve comprising more than one slit.

Larson '028, in figures 1B and 1C, teaches the equivalence of a straight slit and a criss-cross slit.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the valve slit of Robbins '973, replacing the straight slit with a criss-cross slit, as taught to be an equivalent valve mechanism by Larson '028.

Art Unit: 3727

6. Claims 42-43 and 56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Robbins US 5,706,973 in view of Boucher US 2004/0195253, and further in view of Belanger US 5,890,619.

Robbins '973, as modified above, does not teach the second valve being a duckbill valve.

Belanger '619, in the embodiment of figure 6, teaches a venting valve of the type known as a "duckbill" for venting air into a beverage container, while preventing leakage. Examiner notes valves are well-known devices, and many structures function equally in allowing only one-way passage of fluid. The "duckbill" vent valve is a functional equivalent of the vent valve of Robbins '973, as they both allow air to pass across the valve into the container, while preventing liquid to leak.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the valve stack of Robbins '973, providing a duckbill vent valve, such as that taught by Belanger '619, because such is a mechanically equivalent valve structure equally capable of venting air into the container while preventing liquid leakage.

## Double Patenting

7. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Omum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer.

A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Application/Control Number: 10/674,284

Art Unit: 3727

8. Claims 1-5, 8, 13-29, 32, 37-41, 44-55, 57, 60-68 and 70-79 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-2, 6-10, 13-

14 and 17-18 of U.S. Patent No. 6,050,445 ("the 445 patent") in view of Boucher US 2004/0195253.

The '445 patent does not teach the valve face disposed on a sidewall portion of the valve stack.

Page 5

Boucher '253 teaches a one-piece elastomeric valve element for use in a beverage cup lid, comprising a valve (60) on a sloped sidewall (46). The reference teaches in paragraphs [0034] and [0035] the sloped face allows for a longer slit, which in turn reduces "surge" and allows the valve to open more gently, and, reduces leakage when inverted to do reduced head pressure above the valve.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the valve stack of the '445 patent, providing the valve stack of Boucher '253, motivated by the benefit reducing surge and leakage through the valve.

9. Claims 6-7 and 30-31 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-2, 6-10, 13-14 and 17-18 of U.S. Patent No. 6,050,445 ("the 445 patent") in view of Boucher US 2004/0195253, and further in view of Larson et al. US 5,474,028.

The '445 patent does not teach the valve comprising more than one slit.

Larson '028, in figures 1B and 1C, teaches the equivalence of a straight slit and a criss-cross slit.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the valve slit of the '445 patent, replacing the straight slit with a criss-cross slit, as taught to be an equivalent valve mechanism by Larson '028.

10. Claims 42-43 and 56 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-2, 6-10, 13-14 and 17-18 of U.S. Patent No. 6,050,445 ("the 445 patent") in view of Boucher US 2004/0195253, and further in view of Belanger US 5,890,619.

Art Unit: 3727

The '445 patent does not teach the second valve being a duckbill valve.

Belanger '619, in the embodiment of figure 6, teaches a venting valve of the type known as a "duckbill" for venting air into a beverage container, while preventing leakage. Examiner notes valves are well-known devices, and many structures function equally in allowing only one-way passage of fluid. The "duckbill" vent valve is a functional equivalent of the vent valve of the '445 patent, as they both allow air to pass across the valve into the container, while preventing liquid to leak.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the valve stack of the '445 patent, providing a duckbill vent valve, such as that taught by Belanger '619, because such is a mechanically equivalent valve structure equally capable of venting air into the container while preventing liquid leakage.

11. Claims 1-5, 8, 13-29, 32, 37-41, 44-55, 57, 60-68 and 70-79 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5, 8-9, 11-17 and 19-23 of U.S. Patent No. 6,422,415 ("the '415 patent") in view of Boucher US 2004/0195253.

The '415 patent does not teach the valve face disposed on a sidewall portion of the valve stack.

Boucher '253 teaches a one-piece elastomeric valve element for use in a beverage cup lid, comprising a valve (60) on a sloped sidewall (46). The reference teaches in paragraphs [0034] and [0035] the sloped face allows for a longer slit, which in turn reduces "surge" and allows the valve to open more gently, and, reduces leakage when inverted to do reduced head pressure above the valve.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the valve stack of the '415 patent, providing the valve stack of Boucher '253, motivated by the benefit reducing surge and leakage through the valve.

12. Claims 6-7 and 30-31 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5, 8-9, 11-17 and 19-23 of U.S. Patent No. 6,422,415 ("the '415 patent") in view of Boucher US 2004/0195253, and further in view of Larson et al. US 5,474,028.

Application/Control Number: 10/674,284 Page 7

Art Unit: 3727

The '415 patent does not teach the valve comprising more than one slit.

Larson '028, in figures 1B and 1C, teaches the equivalence of a straight slit and a criss-cross slit.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the valve slit of the '415 patent, replacing the straight slit with a criss-cross slit, as taught to be an equivalent valve mechanism by Larson '028.

13. Claims 42-43 and 56 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5, 8-9, 11-17 and 19-23 of U.S. Patent No. 6,422,415 ("the '415 patent") in view of Boucher US 2004/0195253, and further in view of Belanger US 5,890,619.

The '415 patent does not teach the second valve being a duckbill valve.

Belanger '619, in the embodiment of figure 6, teaches a venting valve of the type known as a "duckbill" for venting air into a beverage container, while preventing leakage. Examiner notes valves are well-known devices, and many structures function equally in allowing only one-way passage of fluid. The "duckbill" vent valve is a functional equivalent of the vent valve of the '415 patent, as they both allow air to pass across the valve into the container, while preventing liquid to leak.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the valve stack of the '415 patent, providing a duckbill vent valve, such as that taught by Belanger '619, because such is a mechanically equivalent valve structure equally capable of venting air into the container while preventing liquid leakage.

#### Conclusion

14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
See attached PTO-892, citing related references.

Application/Control Number: 10/674,284

Art Unit: 3727

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James N. Smalley whose telephone number is (571) 272-4547. The examiner can normally be reached on M-Th 9-6:30, Alternate Fri 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Nathan Newhouse can be reached on (571) 272-4544. The fax phone number for the organization where
this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jns

NATHAN J. NEWHOUSE PRIMARY EXAMINER Page 8